

# MATERIAL SAFETY DATA SHEET

75770

**Laser Type Toner****PM Company**

1500 Kemper Meadow Drive  
Cincinnati, OH 45240-1638

Company contact: Mr. Tom Hoffman  
Telephone number: 513-742-7705

**SECTION #1 — Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity; Common Names)	OSHA PEL	ACGIH TLV	Other Limits Recommended	%
Amorphous Silica				
Carbon Black, Polyolefin,	3.5mg/m3	3.5mg/m3		<1%
Dyestuff, Iron Oxide				25-45%
styrene Acrylate				
Zinc Stearate				

This material does not release or result in exposure to hazardous chemicals when used as intended, therefore this data sheet is not required by the stand.

**SECTION #2 — Physical/Chemical Characteristics**

Boiling Point	N/A	Specific Gravity (H <sub>2</sub> O=1)	1.5 -1.7
Vapor Pressure (mm Hg)	N/A	Melting Point	>100 ° C
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate=1)	N/A
Solubility in Water: <b>Negligible</b>			
Appearance and Odor: Fine Black Powder, Faint Odor			

**SECTION #3 — Fire and Explosion Hazard Data**

Flash Point (Method Used) N/A	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media:	Water, Foam, Dry chemicals		
Special Fire Fighting Procedures:	Avoid inhalation of smoke		
Unusual Fire and Explosion Hazards: Material can form explosive mixtures when dispersed in air. Avoid all ignite sources			

N/A = Not Applicable/Not Available

N/E = Not Established

**SECTION #4 — Reactivity Data**

Stability	Unstable		Conditions to Avoid None
	Stable	X	
Incompatibility (Materials to Avoid)		None Known to PM Company	
Hazardous Decomposition or Byproducts		Toxic decomposition products formed on combustion	
Hazardous Polymerization	May Occur		Conditions to Avoid None
	Will Not Occur	X	

**SECTION #5 - Health Hazard Data**

Route(s) of Entry:	Inhalation? N/A	Skin? N/A	Ingestion? N/A
Health Hazards (Acute and Chronic) None known to PM Company			
Carcinogenicity: None known to PM Company.	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A
Signs and Symptoms of Exposure Minimum irritation to respiratory tract irritation may occur in heavy dust conditions.			
Medical Conditions Generally Aggravated by Exposure None known to PM Company.			
Emergency and First Aid Procedures <b>Skin:</b> Normal washing with soap and water. <b>Eyes:</b> Flush out with water. <b>Inhalation:</b> Remove from exposure. <b>Oral:</b> Drink water to dilute.			

**SECTION #6 - Precautions for Safe Handling and Use**

Steps to be Taken in Case Material is Released or Spilled Loose toner can be removed by using a vacuum cleaner. Residue can be removed with soap and water.
Waste Disposal Method Do not incinerated. Insure conformity with all federal, state and local environment regulations.
Precautions to Be Taken in Handling and Storing Avoid storage temperatures in excess of 90° F. Avoid prolonged inhalation of dust.
Other Precautions Avoid excessive exposure to heat.

**SECTION #7 - Control Measures**

Respiratory Protection (Specify Type) Not necessary under normal use.		
Ventilation  N/A	Local Exhaust Not Required	Special Not Required
	Mechanical (General) Not Required	Other Not Required
Protective Gloves Not Required	Eye Protection Not Required when used as intended.	
Other Protective Clothing or Equipment None Required		
Work/Hygienic Practices Inhalation should be avoided if sample is spilled. Goggles and respirators may be required.		

**DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES**

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information of the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

**PM COMPANY**