

## 1. Identification of the Substance/Preparation and of the Company/Undertaking

### Product Identifier

**Product name** DYMON® MEDAPHENE® PLUS DISINFECTING SPRAY  
**Chemical name** 7-7814-3

### Other means of identification

**Product code** 35720  
**Synonyms** Disinfectant Spray  
**Registration number(s)** 498-134-11694

### Recommended use of the chemical and restrictions on use

**Recommended Use** To disinfect hard, non-porous, inanimate surfaces.  
**Uses advised against** Do not spray on varnished, painted or plastic surfaces.

### Details of the supplier of the safety data sheet

<b>Supplier Address</b>	<b>Manufacturer Address</b>
ITW PRO BRANDS	Chase Products Co.
805 E. Old 56 Highway	2727 Gardner Road
Olathe, KS 66061	Broadview, IL 60155
800.443.9536	708-273-1121

### Emergency Telephone Number

**Company Phone Number** 708-865-1000  
**24 Hour Emergency Phone Number** 1-800-255-3924  
**Emergency telephone** Infotrac 800-535-5053

## 2. Hazards Identification

### Classification

Serious eye damage/eye irritation	Category 2A
FLAMMABLE AEROSOLS	Category 1
Gases Under Pressure	liquefied gas

### Label Elements

### EMERGENCY OVERVIEW

#### DANGER

#### hazard statements

Causes serious eye irritation  
 EXTREMELY FLAMMABLE AEROSOL  
 Contains gas under pressure; may explode if heated



**Appearance** Clear to yellow-greenish liquid.

**Physical State** Aerosol

**Odor** Perfumed.

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves, protective clothing, eye protection and face protection.  
 Keep away from heat, sparks, open flames and hot surfaces. — No smoking  
 Pressurized container: Do not pierce or burn, even after use  
 Do not spray on an open flame or other ignition source

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention

**Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place  
 Do not expose to temperatures exceeding 122 °F (50 °C)

**Hazards not otherwise classified (HNOC)**

**Other Information**

• Toxic to aquatic life with long lasting effects  
 15.22% of the mixture consists of ingredient(s) of unknown toxicity

**3. Composition/information on Ingredients**

**Synonyms** Disinfectant Spray.  
**Chemical Family** MIXTURES.  
**Formula** 7-7814-3  
**Chemical nature** Aqueous solution of alcohol and other active ingredients.

Chemical name	CAS No	weight-%	Trade secret
Ethyl alcohol	64-17-5	60-65	*
Water	7732-18-5	15-20	*
N-Butane	106-97-8	1-5	*
Propane	74-98-6	1-5	*
O-phenylphenol	90-43-7	0.1	*

Chemical Additions **See label for active ingredients information.**

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. First aid measures**

**FIRST AID MEASURES**

**Eye Contact** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**Skin contact** Wash with soap and water. If irritation develops, consult a physician .

**Inhalation** If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an ambulance, then provide artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.

**Ingestion** Ingestion from an aerosol product is unlikely to occur.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches.  
 Prolonged and repeated contact with the eyes may cause mild irritation.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** None needed.

**5. Fire-fighting measures**

**Suitable extinguishing media**

Dry chemical, CO2 or water spray.

**Unsuitable extinguishing media** Use water spray or fog; do not use straight streams.

**Specific hazards arising from the chemical**

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

**Hazardous combustion products** Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

**Explosion data**

**Sensitivity to Mechanical Impact** Contents under pressure, keep away from heat and open flame.

**Sensitivity to Static Discharge** Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

**Protective equipment and precautions for firefighters**

Use personal protective equipment as required.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.

**Other Information** Keep out of reach of children.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for Containment** Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.

**Methods for cleaning up** Clean contaminated surface thoroughly.

**7. Handling and Storage**

**Precautions for safe handling**

**Advice on safe handling** Avoid getting spray into eyes. Keep out of reach of children.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing temperatures. **AEROSOL STORAGE LEVEL II (NFPA 30B).**

**Incompatible Materials** Avoid heat, open flame and contact with strong oxidizers.

**8. Exposure Controls/Personal Protection**

**Control parameters**

**Exposure guidelines** See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
N-Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m <sup>3</sup>	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering controls** Use with adequate general or local exhaust ventilation.

**Individual protection measures, such as personal protective equipment**

**Eye/face Protection** Conventional eyeglasses to guard against splashing.

**Skin and Body Protection** Household type gloves, if desired.

**Respiratory protection** None required if used in a well-ventilated area .

**General hygiene considerations** Wash hands thoroughly after handling.

**9. Physical and Chemical Properties**

**Information on basic physical and chemical properties**

<b>Physical State</b>	Aerosol	<b>Odor</b>	Perfumed.
<b>Appearance</b>	Clear to yellow-greenish liquid.	<b>Odor threshold</b>	No information available
<b>Color</b>	Clear to yellow-greenish		
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>	
<b>pH</b>	10.80	No information available	
<b>Melting point/freezing point</b>	NA	No information available	
<b>Boiling point/boiling range</b>	173-181 °F/78.4 °C Ethyl alcohol	No information available	
<b>Flash Point</b>	Not available. This is an aerosol product with a Flame Projection of 18 in. with 3 in. flashback. Temperatures above 120 F may cause cans to burst.	No information available	
<b>Evaporation Rate</b>	Faster than butyl acetate	No information available	
<b>Flammability (solid, gas)</b>		No information available	
<b>Flammability Limits in Air</b>		No information available	
<b>Upper flammability limits</b>	Not available		
<b>Lower Flammability Limit</b>	Not available		
<b>Vapor pressure</b>	Not available	No information available	
<b>Vapor Density</b>		No information available	
<b>Relative Density</b>	0.844 concentrate	No information available	
<b>Water solubility</b>	completely soluble	No information available	
<b>Solubility in other solvents</b>		No information available	
<b>Partition coefficient</b>		No information available	
<b>Autoignition Temperature</b>		No information available	
<b>Decomposition temperature</b>		No information available	
<b>Kinematic viscosity</b>		No information available	
<b>Dynamic viscosity</b>		No information available	
<b>Explosive properties</b>	No information available		
<b>Oxidizing properties</b>	No information available		

**Other Information**

Softening point No information available  
 Molecular weight No information available  
 VOC content (%) 69.2%  
 Density No information available  
 Bulk Density 7.03 Lb/gal

**10. Stability and Reactivity**

**Reactivity**

Not applicable No data available

**Chemical stability**

Stable.

**Possibility of hazardous reactions**

Temperatures above 130 °F may cause cans to burst with force.

**hazardous polymerization** Hazardous polymerization does not occur.

**Conditions to Avoid**

Temperatures above 122 °F (50 °C).

**Incompatible Materials**

Avoid heat, open flame and contact with strong oxidizers.

**Hazardous decomposition products**

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

**11. Toxicological Information**

**Information on likely routes of exposure**

**Product Information**

Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness and nausea. Prolonged and repeated contact with skin may cause irritation and reddening. Contact with eyes causes irritation.

**Inhalation** See data below.

**Eye Contact** No data available.

**Skin contact** No data available.

**Ingestion** This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Ethyl alcohol 64-17-5	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L ( Rat ) 4 h
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
N-Butane 106-97-8	-	-	= 658 g/m <sup>3</sup> ( Rat ) 4 h
Propane 74-98-6	-	-	= 658 mg/L ( Rat ) 4 h
O-phenylphenol 90-43-7	= 2 g/kg ( Rat )	> 2000 mg/kg ( Rat )	> 0.949 mg/L ( Rat ) 1 h

**Information on toxicological effects**

**Symptoms** See information above.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**35720 DYMON® MEDAPHENE® PLUS DISINFECTING SPRAY**

**sensitization** No information available.  
**Germ cell mutagenicity** No information available.  
**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
O-phenylphenol 90-43-7		Group 3		

**Reproductive toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration Hazard** No information available.

**Numerical measures of toxicity - Product Information**

**Unknown acute toxicity** 15.22% of the mixture consists of ingredient(s) of unknown toxicity

**The following values are calculated based on chapter 3.1 of the GHS document .**

**ATEmix (oral)** 9471 mg/kg  
**ATEmix (inhalation-gas)** 4184003 mg/l  
**ATEmix (inhalation-dust/mist)** 167.3 mg/l  
**ATEmix (inhalation-vapor)** 164 mg/l

**12. Ecological Information**

This product does not contain ingredients listed as marine pollutants according to DOT.

**ecotoxicity**

21.22% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Ethyl alcohol 64-17-5		13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	10800: 24 h Daphnia magna mg/L EC50 9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
O-phenylphenol 90-43-7	0.85: 72 h Desmodismus subspicatus mg/L EC50	2.74: 96 h Lepomis macrochirus mg/L LC50 5.8: 96 h Poecilia reticulata mg/L LC50 static 3.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.75: 96 h Oncorhynchus mykiss mg/L LC50	EC50 = 2.05 mg/L 5 min	1 - 2.5: 48 h Daphnia magna mg/L EC50 Static

**Persistence and degradability**

No information available.

**Bioaccumulation**

See information below.

Chemical name	Partition coefficient
Ethyl alcohol 64-17-5	-0.32
N-Butane 106-97-8	2.89
Propane 74-98-6	2.3
O-phenylphenol 90-43-7	3.18

# 35720 DYMON® MEDAPHENE® PLUS DISINFECTING SPRAY

**Other adverse effects** No information available

## 13. Disposal Considerations

### Waste treatment methods

**Disposal of wastes** Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

**Contaminated packaging** Pressurized container: Do not pierce or burn, even after use.

Chemical name	California Hazardous Waste Status
Ethyl alcohol 64-17-5	Toxic Ignitable

## 14. Transport Information

### DOT

**Marine pollutant** This product does not contain ingredients listed as marine pollutants according to DOT.  
**UN number** UN1950  
**UN proper shipping name** Aerosols, flammable  
**Transportation hazard class(es)** 2.1

### IATA

**UN number** UN1950  
**UN proper shipping name** Aerosols, flammable  
**Transportation hazard class(es)** 2.1

### IMDG

**UN number** UN1950  
**UN proper shipping name** AEROSOLS  
**Transportation hazard class(es)** 2

## 15. Regulatory information

### International Inventories

**TSCA** All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**DSL** All ingredients are listed or are excluded from listing on the DSL.

### Legend:

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List*

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
O-phenylphenol - 90-43-7	90-43-7	0.1	1.0

#### SARA 311/312 Hazard Categories

**Acute Health Hazard** yes  
**Chronic Health Hazard** yes  
**Fire Hazard** yes  
**Sudden release of pressure hazard** No  
**Reactive Hazard** No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40

# 35720 DYMON® MEDAPHENE® PLUS DISINFECTING SPRAY

CFR 122.42)

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
O-phenylphenol - 90-43-7	Carcinogen

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	X	X	X
Water 7732-18-5			X
N-Butane 106-97-8	X	X	X
Propane 74-98-6	X	X	X
O-phenylphenol 90-43-7	X	X	X

## U.S. EPA Label information

EPA Pesticide registration number 498-134-11694

### EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: WARNING: Causes eye irritation. Do not get in eyes. Avoid contact with skin. Avoid contamination of foodstuff.

## 16. Other information

<b>NFPA</b>	<b>Health Hazards</b> 1	<b>Flammability</b> 4	<b>Instability</b> 1	<b>Physical and chemical properties</b> Not applicable
<b>HMIS</b>	<b>Health Hazards</b> 1*	<b>Flammability</b> 4	<b>Physical hazards</b> 1	<b>Personal Protection</b> B - Eyes and hands protection

**Chronic Hazard Star Legend**

See Section 11: TOXICOLOGICAL INFORMATION

**Prepared by**

Regulatory Department

**Issue date**

13-April-2023

**Revision note**

Not applicable

### Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**