

| Version 1.0 | Revision Date 02/23/2015 | Print Date 02/15/2017 |
|-------------|--------------------------|-----------------------|
| | | |

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Material name | : | A07734 TM BAYBERRY 30% 12/CS 12n5.3 |
|------------------------------|------|---|
| Material number | : | 00000000001042705 |
| Manufacturer or supplier's d | leta | ils |
| Company | : | Zep Inc. |
| Address | : | 1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318 |
| Telephone | : | 404-352-1680 |

| Emergency telephone nur | nbe | rs |
|-------------------------|-----|--|
| For SDS Information | : | Compliance Services 1-877-428-9937 |
| For a Medical Emergency | : | 877-541-2016 Toll Free - All Calls Recorded |
| For a Transportation | : | CHEMTREC: 800-424-9300 - All Calls Recorded. |
| Emergency | | In the District of Columbia 202-483-7616 |

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| Appearance | Liquefied gas |
|------------|----------------|
| Colour | colourless |
| Odour | characteristic |

GHS Classification

| Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure | : Category 1 : Liquefied gas : Category 2A : Category 3 (Central nervous system) |
|---|--|
| GHS Label element | |
| Hazard pictograms | |
| Signal word | : Danger |
| Hazard statements | H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. |
| Precautionary statements | Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. |



| sion 1.0 | Revision Date 02/23/2015 | Print Date 02/15/2017 |
|--------------------------|--|---|
| | P251 Pressurized container: Do nuse. P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after H P271 Use only outdoors or in a we P280 Wear eye protection/ face p Response: P304 + P340 + P312 IF INHALED and keep at rest in a position com POISON CENTER or doctor/ phys P305 + P351 + P338 IF IN EYES: for several minutes. Remove cont easy to do. Continue rinsing. P337 + P313 If eye irritation persist attention. Storage: P405 Store locked up. P410 + P412 Protect from sunligh temperatures exceeding 50 °C/ 12 P403 + P235 Store in a well-ventil. Disposal: P501 Dispose of contents/contain regulation. | gas/ mist/ vapours/ spray. handling. ell-ventilated area. rotection. : Remove victim to fresh air fortable for breathing. Call a sician if you feel unwell. Rinse cautiously with water act lenses, if present and sts: Get medical advice/ t. Do not expose to 22 °F. ated place. Keep cool. |
| Potential Health Effects | | |
| Carcinogenicity: | | |
| IARC | No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC. | |
| ACGIH | No component of this product present equal to 0.1% is identified as a carcin carcinogen by ACGIH. | |
| OSHA | No component of this product present equal to 0.1% is identified as a carcin carcinogen by OSHA. | |
| NTP | No component of this product present equal to 0.1% is identified as a knowr | |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| Chemical Name | CAS-No. | Concentration [%] |
|-------------------------------------|------------|-------------------|
| acetone | 67-64-1 | >= 30 - < 50 |
| 2-(2-ethoxyethoxy)ethanol | 111-90-0 | >= 20 - < 30 |
| propane | 74-98-6 | >= 20 - < 30 |
| Naphtha (petroleum), light alkylate | 64741-66-8 | >= 5 - < 10 |



| Version 1.0 | Revision Date 02/23/2015 | Print Date 02/15/2017 |
|-------------|--------------------------|-----------------------|
| | | |
| | | |

SECTION 4. FIRST AID MEASURES

| General advice | : Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. |
|-------------------------|---|
| If inhaled | : Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice. |
| In case of skin contact | If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes. Wash contaminated clothing before re-use. |
| In case of eye contact | Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. |
| If swallowed | Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | : Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet | |
|--------------------------------------|--|-----|
| Unsuitable extinguishing media | : High volume water jet | |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or wate courses. | ər |
| Hazardous combustion products | : Carbon dioxide (CO2) Carbon monoxide Smoke | |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. | |
| Further information | Fire residues and contaminated fire extinguishing water mube disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. | ıst |
| Special protective equipment | : Wear self-contained breathing apparatus for firefighting if | |



Version 1.0

Revision Date 02/23/2015

Print Date 02/15/2017

for firefighters

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
|---|---|
| Environmental precautions | : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal. |

SECTION 7. HANDLING AND STORAGE

| Advice on safe handling | : | Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist. Always replace cap after use. |
|-----------------------------|---|---|
| Conditions for safe storage | : | BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Keep in a dry, cool and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. |
| Materials to avoid | : | Store and keep away from, oxidizing agents and acids. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type | Control | Basis |
|------------|---------|------------|---------|-------|
| | | | | |



| Version | 10 | |
|----------|-----|--|
| 12121011 | 1.0 | |

Revision Date 02/23/2015

Print Date 02/15/2017

| | | (Form of | parameters / | |
|---------------------------|----------|-----------|---------------|-----------|
| | | exposure) | Permissible | |
| | | | concentration | |
| acetone | 67-64-1 | TWA | 500 ppm | ACGIH |
| | | STEL | 750 ppm | ACGIH |
| | | TWA | 250 ppm | NIOSH REL |
| | | | 590 mg/m3 | |
| | | TWA | 1,000 ppm | OSHA Z-1 |
| | | | 2,400 mg/m3 | |
| | | TWA | 750 ppm | OSHA P0 |
| | | | 1,800 mg/m3 | |
| | | STEL | 1,000 ppm | OSHA P0 |
| | | | 2,400 mg/m3 | |
| 2-(2-ethoxyethoxy)ethanol | 111-90-0 | TWA | 25 ppm | US WEEL |
| propane | 74-98-6 | TWA | 1,000 ppm | ACGIH |
| | | TWA | 1,000 ppm | NIOSH REL |
| | | | 1,800 mg/m3 | |
| | | TWA | 1,000 ppm | OSHA Z-1 |
| | | | 1,800 mg/m3 | |
| | | TWA | 1,000 ppm | OSHA P0 |
| | | | 1,800 mg/m3 | |

Biological occupational exposure limits

| Component | CAS-No. | Control | Biological | Sampling | Permissible | Basis |
|-------------|---------|------------|------------|--|---------------|-----------|
| | | parameters | specimen | time | concentration | |
| 2-PROPANONE | 67-64-1 | Acetone | Urine | End of shift (As soon as possible after exposure ceases) | 50 mg/l | ACGIH BEI |

Personal protective equipment

| Respiratory protection | : | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. |
|----------------------------|---|---|
| Hand protection Remarks | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Eye protection | : | Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses |
| Skin and body protection | : | impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Hygiene measures | : | When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |



Version 1.0

Revision Date 02/23/2015

Print Date 02/15/2017

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : | Liquefied gas |
|--|---|------------------------------|
| Colour | : | colourless |
| Odour | : | characteristic |
| Odour Threshold | : | no data available |
| рН | : | not applicable |
| Melting point/freezing point | : | no data available |
| Boiling point | : | no data available |
| Flash point | : | < -6.6 °C |
| | | |
| Evaporation rate | : | no data available |
| Flammability (solid, gas) | : | Extremely flammable aerosol. |
| Upper explosion limit | : | no data available |
| Lower explosion limit | | no data available |
| Vapour pressure | : | no data available |
| Relative vapour density | : | no data available |
| Density | : | no data available |
| Solubility(ies) | | |
| Water solubility | : | partly soluble |
| Partition coefficient: n- octanol/water | : | no data available |
| Auto-ignition temperature | : | not determined |
| Thermal decomposition | : | no data available |
| Viscosity | | |
| Viscosity, kinematic | | no data available |
| Heat of combustion | | 36.86 kJ/g |
| | • | |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : Stable |
|------------------------------------|---|
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed. |
| | Vapours may form explosive mixture with air. |
| Conditions to avoid | : Heat, flames and sparks. |
| | |



| Version 1.0 | Revision Date 02/23/2015 | Print Date 02/15/2017 |
|----------------------------------|---|-----------------------|
| | Extremes of temperature and direct | t sunlight. |
| Incompatible materials | : Oxidizing agents Acids Bases | |
| Hazardous decomposition products | : Carbon monoxide Carbon dioxide (CO2) | |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

no data available

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:

Remarks: Eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

acetone: 2-(2-ethoxyethoxy)ethanol: propane: Naphtha (petroleum), light alkylate:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

SAFETY DATA SHEET



A07734 TM BAYBERRY 30% 12/CS 12n5.3

Version 1.0

Revision Date 02/23/2015

Print Date 02/15/2017

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

Product:

| Partition coefficient: n- octanol/water Components : | : | Remarks: no data available |
|---|---|----------------------------|
| 2-(2-ethoxyethoxy)ethanol: | : | Pow: 0.54 |
| Mobility in soil | | |

no data available

Other adverse effects

- no data available Product:
 - Product:Regulation40 CFR Protection of Environment; Part 82 Protection of
Stratospheric Ozone CAA Section 602 Class I
SubstancesRemarksThis product neither contains, nor was manufactured
with a Class I or Class II ODS as defined by the U.S.
Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A
+ B).Additional ecological
information: An environmental hazard cannot be excluded in the
event of unprofessional handling or disposal., Harmful to

aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

| Waste from residues | The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with |
|---------------------|--|
| | chemical or used container. Dispose of in accordance with local regulations. |



| Version 1.0 | Revision Date 02/23/2015 | Print Date 02/15/2017 |
|------------------------|--|-----------------------|
| Contaminated packaging | : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, t | he empty drum. |

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): This material is not classified.

Transportation Regulation: IMDG (Vessel): This material is not classified.

Transportation Regulation: IATA (Cargo Air): This material is not classified.

Transportation Regulation: IATA (Passenger Air): This material is not classified.

Transportation Regulation: TDG (Canada): This material is not classified.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------|---------|-----------------------|--------------------------------|
| acetone | 67-64-1 | 5000 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.


| SARA 311/312 Hazards | Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard | |
|----------------------|--|---|
| SARA 302 | SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. | |
| SARA 313 | SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SAR/Title III, Section 313. | Ą |



| rsion 1.0 | Revision Date 02/23/2015 | Print Date 02/15/2017 |
|--------------------|--|-----------------------|
| California Prop 65 | This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm. | |
| The components of | this product are reported in the following inv | entories: |
| TSCA | On TSCA Inventory | |
| DSL | This product contains one or several components that are not on the Canadian DSL nor NDSL. | |
| | | |
| AICS | | |
| AICS NZIoC | Not in compliance with the inventory | |
| | | |

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

| Signal w ord | : Danger: |
|--------------------------|--|
| Hazard statements | : Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eve irritation. May cause drow siness or dizziness. |
| Precautionary statements | : |
| | Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Wear eye protection/face protection. Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel |



| Version 1.0 | Revision Date 02/23/2015 | Print Date 02/15/2017 | |
|-------------|---|-----------------------|--|
| | unw ell. IF IN EYES: Rinse cautiously with water for se | | |
| | lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. | | |
| | Storage: Store locked up. Protect from sunlight. Do not expose to temperatures | | |
| | exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place. Keep cool. | | |
| | Disposal : Dispose of contents/container in accordance with local regulation. | | |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.